DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/17/2013 FORM APPROVED OMB NO. 0938-0391

AND PLAN OF CORRECTION IDENTIFICATION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:				(X3) DATE SURVEY COMPLETED C 05/08/2013	
		152591					
NAME OF PROVIDER OR SUPPLIER FRESENIUS MEDICAL CARE TERRE HAUTE SOUTH				STREET ADDRESS, CITY, STATE, ZIP CODE 315 E SPRINGHILL DR TERRE HAUTE, IN 47802			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PROVIDER'S PLAN OF CORRE PREFIX (EACH CORRECTIVE ACTION SH TAG CROSS-REFERENCED TO THE APP DEFICIENCY)			(X5) COMPLETION DATE
V 000	INITIAL COMMENTS		V	000			
	This was an ESRD for investigation survey.	ederal complaint					
	Complaint #: IN00127254 - Unsubstantiated: Lack of sufficient evidence. Facility #: 004839						
	Survey Dates: 05/08/13						
	Medicaid Vender #: N/A						
	Surveyor: Marty Coons, RN, PHNS						
	Fresenius Medical Care Terre Haute South is in complience with the Conditions for Coverage at 42 CFR 494.30 Infection Control, 494.60 Physical Environment, and 494.70 Patient Rights as related to this complaint.						
	Quality Review: Joyc May 17	e Elder, MSN, BSN, RN , 2013					
LABORATORY	 DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATUR	E E		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.